GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR and RD Department – Allegations of irregularities in construction of Zilla Mahila Samakya Building at JTDC, Pendurthi of Visakhapatnam – Disciplinary proceedings initiated against Sri K.Ravi Babu, the then Executive Engineer, PRI, Visakhapatnam, now retd – WSD submitted – Appointment of Inquiry Authority under sub-rule (2) of Rule 20 of APCS (CC&A) Rules, 1991- Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 401 **Dated: 30-05-2019**

Read the following:

1. From DG, GA (V&E) Department, Vigilance Report No.46 (C.No.267/V&E/E1/2014), Dt.02.06.2015.
2. G.O.Rt.No.1053, PR&RD (Vig.I) Department, Dt.30.08.2018.
3. From Sri K.Ravi Babu, the then Executive Engineer, PRI, Visakhapatnam, now retd, WSD, Dt.22.10.2018.

***

ORDER:-

Disciplinary proceedings were initiated duly framing articles of charge against Sri K.Ravi Babu, the then Executive Engineer, PRI, Visakhapatnam, now retd, in respect of allegations of irregularities in construction of Zilla Mahila Samakya Building at JTDC, Pendurthi of Visakhapatnam, vide reference 2nd read above.

2. Sri K.Ravi Babu, the then Executive Engineer, PRI, Visakhapatnam, now retd has submitted his WSD, vide reference 3rd read above.

3. Government having not satisfied with the Written Statement Defence submitted by Charged Officer, decided to conduct departmental enquiry into the charges framed against Sri K.Ravi Babu, the then Executive Engineer, PRI, Visakhapatnam, now retd, in respect of allegations of irregularities in construction of Zilla Mahila Samakya Building at JTDC, Pendurthi of Visakhapatnam, under Andhra Pradesh Civil Services (CC&A) Rules, 1991.

4. Now, therefore, the Government in exercise of the powers conferred by sub-rule (2) of the said rule hereby appoint Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada, as Inquiry Authority under Rule 20(2) of Andhra Pradesh Civil Services (classification, control and appeal) Rules, 1991 to inquire into the charges framed against above charged officer.

5. The Inquiry Authority is requested to conduct Inquiry strictly in terms of rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 and submit report as required under (18)(ii) of the above said Rules. Copy of Charge Memoranda issued to the Charged Officer and his written statement of defence are herewith furnished to the Inquiry Authority as required under rule 20 (7) of

Andhra Pradesh Civil Services (classification, control and appeal) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD)

To
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada (E.O.) (w.e.).
The Individual through Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER